



EXTREME PERFORMANCE AIR FILTERS

GREATER EFFICIENCY & CAPACITY FOR LONGER LIFE





Ideally suited to demanding high dust environments, Baldwin's Extreme Performance air filters offer fleet operators significant benefits over conventional cellulose-only media.

Baldwin's Extreme Performance air filters utilize nanofiber technology. Nanofiber, bonded to cellulose media, provides unequalled performance, particularly with submicron contaminants.

While nanofiber cannot be seen with the naked eye, the Baldwin nanofiber base sheet is yellow to distinguish it from conventional media. All Baldwin Extreme Performance heavy-duty air filters are identified with an "XP" part number suffix.



EXTREME PERFORMANCE AIR FILTERS

| PART NUMBER | FITS | REPLACES | SPECIFICATIONS | NOTES |
|--|---|--|--|---|
| PA1615XP  | Caterpillar Equipment | Caterpillar 4M8047, 8N5389 | O.D.: 9 1/4 (235.0) I.D.: 4 27/32 (123.0) One End Length: 12 1/2 (317.5) A. Gskt.: 1 Included | Related To: LL1615 (Long-Life); PA1615 (Standard) |
| PA1634XP  | Caterpillar Truck Engines, Equipment | Caterpillar 4M9334, 8N5317; General Motors 6421540; Mitsubishi 4574070210; Poclairn P2050509 | O.D.: 11 1/8 (282.6) I.D.: 6 23/32 (170.7) One End Length: 13 1/2 (342.9) A. Gskt.: 1 Included | Use With: PA1675, PA2310, PA2737 Related To: LL1634 (Long-Life); PA1634 (Standard) |
| PA1706XP  | Atlas Copco, Hough, International Equipment | Atlas Copco 16193784; International 346779-R91 | O.D.: 13 25/32 (350.0) I.D.: 1/2 (12.7) & 9 7/16 (239.7) Length: 14 1/2 (368.3) A. Gskt.: 1 Included F. Gskt.: 1 Included | Notes: Inside-Out Flow Direction Related To: PA1630 (without Attached Gasket); PA1706 (Standard) |
| PA1846XP  | Chevrolet, Ford, GMC, Nissan, R.V.I., Scania Trucks; Allis Chalmers, Euclid, Fiat-Allis, Grove, Koehring, Michigan, WABCO Equipment | Allis Chalmers 659386; Euclid 9232508; Fiat 70198780; Ford D0HZ-9601-H; GMC 6489643 | O.D.: 12 1/8 (308.0) I.D.: 5/8 (15.9) & 7 11/16 (195.3) Length: 18 1/2 (469.9) A. Gskt.: 1 Included F. Gskt.: 1 Included | Use With: PA1880 Related To: LL1846 (Long-Life); PA1846 (Standard) |




EXTREME PERFORMANCE AIR FILTERS (CONT'D)

| PART NUMBER | FITS | REPLACES | SPECIFICATIONS | NOTES |
|-------------|---|---|---|---|
| PA1884XP |  Allis Chalmers, Case, Caterpillar, Daewoo, Doosan, Drott, Fiat-Allis, Grove, Hitachi, J.C. Bamford, Massey Ferguson, New Holland, Volvo Equipment; Foden, Ford Europe, Iveco, Leyland, R.V.I. Buses, Trucks | Ag-Chem 721237023A; Case S231996; Drott 609421; Fiat 1909136; J.C. Bamford 32/201602 | O.D.: 9 7/32 (234.2) I.D.: 2 1/32 (16.7) & 4 27/32 (123.0) Length: 13 1/2 (342.9) A. Gskt.: 1 Included F. Gskt.: 1 Metal Washer | Use With: PA1911 Related To: PA1941-FN (with Fins); LL1884 (Long-Life); PA1884 (Standard) |
| PA1885XP |  Ag-Chem, Allis Chalmers, Caterpillar, Fiat-Allis, Gradall, Hitachi, John Deere, Kobelco, Komatsu, Massey Ferguson, Mitsubishi, New Holland Equipment | Ag-Chem 702455; Case L56041; Fiat-Allis 70662618; Hitachi 4237663; Iveco 1901902; Komatsu 600-181-3800 | O.D.: 11 1/8 (282.6) I.D.: 5/8 (15.9) & 6 23/32 (170.7) Length: 16 1/2 (419.1) A. Gskt.: 1 Included F. Gskt.: 1 Metal Washer | Use With: PA1893 Related To: LL1885 (Long-Life); PA1885 (Standard) |
| PA1886XP |  Case, Drott, Liebherr Excavators; Champion Graders; Euclid Equipment; Hino, Iveco Trucks; Hough Loaders; Ingersoll-Rand Drills; New Holland, Versatile Tractors | Allis Chalmers 663856; Euclid 4003970; International 619763-C91; Iveco 1901780; John Deere AT69308; Liebherr 5604682; New Holland V30924; Terex 9038899 | O.D.: 12 1/8 (308.0) I.D.: 29/32 (23.0) & 7 11/16 (195.3) Length: 16 1/2 (419.1) A. Gskt.: 1 Included F. Gskt.: 1 Metal Washer O. Gskt.: G225-AF | Use With: PA1904, PA3832 Related To: LL1886 (Long-Life); PA1886 (Standard) |
| PA1894XP |  Caterpillar, Dresser, Euclid, Ingersoll-Rand, Kawasaki, Michigan, Steiger, Terex, Volvo, WABCO Equipment | Caterpillar 8L5897; Euclid 9035866; Gardner Denver 166392; Terex 9035992 | O.D.: 13 13/16 (350.8) I.D.: 15/16 (23.8) & 9 1/2 (241.3) Length: 18 1/2 (469.9) A. Gskt.: 1 Included F. Gskt.: 1 Metal Washer | Use With: PA1905 Related To: LL1894 (Long-Life); PA1894 (Standard); PA2749 (with Boot and Bail Handle) |
| PA2326XP |  Peterbilt Trucks | White 27-088627; Donaldson EAF5057 | O.D.: 12 3/4 (323.9) Boot 13 3/8 (339.7) I.D.: 15/16 (23.8) & 8 3/8 (212.7) Length: 17 1/2 (444.5) A. Gskt.: 2 Included F. Gskt.: 1 Metal Washer | Related To: LL2326 (Long-Life); PA2326 (Standard) |
| PA2361XP |  Allis Chalmers, Fiat-Allis, New Holland, Samsung Equipment | Allis Chalmers 70671838; Fiat 70671809; New Holland 703409 | O.D.: 12 1/32 (305.6) Boot 12 3/4 (323.9) I.D.: 15/16 (23.8) & 7 23/32 (196.1) Length: 23 1/2 (596.9) A. Gskt.: 2 Included F. Gskt.: 1 Metal Washer | Use With: PA2362 Related To: LL2361 (Long-Life); PA2361 (Standard) |
| PA2363XP |  Caterpillar, Euclid, Hitachi, KW-Dart, Terex, Unit Rig, WABCO Equipment | Caterpillar 9Y6835; KW-Dart 3040562; Terex 6945659; WABCO VA2186 | O.D.: 17 5/8 (447.7) Boot 18 5/16 (465.1) I.D.: 15/16 (23.8) & 11 (279.4) Length: 23 17/32 (597.7) A. Gskt.: 2 Included F. Gskt.: 1 Metal Washer | Use With: PA2364 Related To: LL2363 (Long-Life); PA2363 (Standard) |
| PA2384XP |  Caterpillar Equipment, Industrial Engines | Caterpillar 1P8483, 8N5313 | O.D.: 12 1/2 (317.5) I.D.: 9 1/8 (231.8) One End Length: 15 1/2 (393.7) A. Gskt.: 1 Included | Use With: PA2385, PA2625, PA2647, PA2735 Related To: LL2384 (Long-Life); PA2384 (Standard) |

EXTREME PERFORMANCE AIR FILTERS (CONT'D)

| PART NUMBER | FITS | REPLACES | SPECIFICATIONS | NOTES |
|-------------|--|--|---|---|
| PA2453XP |  Case, Caterpillar, Dritech, KW-Dart, Terex, WABCO Equipment; Euclid, Komatsu Trucks | Caterpillar 1W3637; Dritech 103653; Euclid 9038350; Komatsu 581-021-2120; WABCO VJ5175 | O.D.: 17 5/8 (447.7) Boot 18 5/16 (465.1) I.D.: 15/16 (23.8) & 12 1/8 (308.0) Length: 23 17/32 (597.7) A. Gskt.: 2 Included F. Gskt.: 1 Metal Washer | Use With: PA2364, PA2454 Related To: LL2453 (Long-Life); PA2453 (Standard) |
| PA2456XP |  CMI, Grove, Insley, Michigan, Morbark Equipment; Ingersoll-Rand, Sullair Compressors | Grove 9304100036; Ingersoll-Rand 35711209; Insley 453043; Sullair 48462 | O.D.: 12 11/16 (322.3) Boot 12 25/32 (324.6) I.D.: 29/32 (23.0) & 8 3/8 (212.7) Length: 24 1/32 (610.4) A. Gskt.: 2 Included F. Gskt.: 1 Metal Washer | Use With: PA2457 Related To: LL2456 (Long-Life); PA2456 (Standard) |
| PA2518XP |  Ag-Chem, Terex Equipment; Ingersoll-Rand, Joy, Sullair Compressors | Ag-Chem 718569; Euclid 9013550; Ingersoll-Rand 35355395; Joy 360628329; Sullair 46968 | O.D.: 12 1/8 (308.0) Boot 12 13/16 (325.4) I.D.: 29/32 (23.0) & 7 11/16 (195.3) Length: 20 3/8 (517.5) A. Gskt.: 2 Included F. Gskt.: 1 Metal Washer | Use With: PA2519 Related To: LL2518 (Long-Life); PA2518 (Standard) |
| PA2562XP |  Ingersoll-Rand Compressors; Hitachi, Koehring, Liebherr, Terex, Volvo, WABCO Equipment | Hitachi 4206272; Ingersoll-Rand 35298108; WABCO VE1062 | O.D.: 14 11/16 (373.1) I.D.: 29/32 (23.0) & 10 11/32 (262.7) Length: 24 1/2 (622.3) A. Gskt.: 1 Included F. Gskt.: 1 Metal Washer | Use With: PA2563 Related To: LL2562 (Long-Life); PA2562 (Standard) |
| PA2573XP |  Ag-Chem, Dynapac, Tamrock, V.M.E., Volvo Equipment; Sullair Compressors | Ag-Chem 700282; Dynapac 499505; Sullair 46299; V.M.E. M12565177 | O.D.: 13 13/16 (350.8) I.D.: 15/16 (23.8) & 9 1/2 (241.3) Length: 20 1/2 (520.7) A. Gskt.: 1 Included F. Gskt.: 1 Metal Washer, 1 Included | Use With: PA2574 Related To: PA2573 (Standard) |
| PA2616XP |  John Deere Graders | Alliance ABPN10GAF1896M; Caterpillar 310331; General Motors 25177201; John Deere AT75035 | O.D.: 10 3/8 (263.5) I.D.: 21/32 (16.7) & 6 1/32 (153.2) Length: 13 3/8 (339.7) A. Gskt.: 1 Included F. Gskt.: 1 Metal Washer | Use With: PA2687 Related To: PA2616 (Standard) |
| PA2676XP |  Fiat-Hitachi, Hitachi, John Deere, New Holland, Versatile Equipment; Komatsu Dump Trucks; Nissan Trucks | Hino 17801-2490; John Deere AR95758; New Holland V95611 | O.D.: 12 1/8 (308.0) I.D.: 29/32 (23.0) & 7 11/16 (195.3) Length: 19 1/2 (495.3) A. Gskt.: 1 Included F. Gskt.: 1 Metal Washer | Use With: PA2708, PA3668 Related To: LL2676 (Long-Life); PA2676 (Standard) |
| RS2863XP |  Caterpillar, Cummins Engines; Ford, Freightliner, GMC, Hino, IHC, Kenworth, Ottawa, Peterbilt, Sterling Trucks; John Deere Tractors; Massey Ferguson Combines | Ford F3HZ-9601-A; GMC 15619013; John Deere RE34962 | O.D.: 9 9/32 (235.7) I.D.: 5 5/32 (131.0) One End Length: 12 3/4 (323.9) | Use With: RS3501 Related To: RS2863 (Standard) |

EXTREME PERFORMANCE AIR FILTERS (CONT'D)

| PART NUMBER | FITS | REPLACES | SPECIFICATIONS | NOTES | |
|-------------|---|--|---|---|---|
| PA3478XP |  | Donaldson P604430 | O.D.: 5 13/16 (147.6) to 8 21/32 (219.9) I.D.: 5 3/16 (131.8) One End Length: 28 1/2 (723.9) A. Gskt.: 1 Included F. Gskt.: 1 Included | Related To: PA3478 (Standard) | |
| RS3504XP |  | Agco, Massey Ferguson Tractors; Caterpillar Equipment | Caterpillar 6I2501 | O.D.: 10 31/32 (278.6) I.D.: 5 13/16 (147.6) One End Length: 13 3/8 (339.7) | Use With: RS3505 Related To: RS3504 (Standard) |
| RS3506XP |  | Caterpillar, John Deere, Komatsu Equipment; Freightliner Buses | Caterpillar 6I2503 | O.D.: 10 31/32 (278.6) I.D.: 5 13/16 (147.6) One End Length: 16 7/16 (417.5) | Use With: RS3507, RS5392 Related To: RS3506 (Standard) |
| RS3508XP |  | Caterpillar, Wirtgen Equipment; Challenger Tractors | Caterpillar 122-1674; Wirtgen 162084 | O.D.: 11 15/32 (291.3) I.D.: 7 1/8 (181.0) One End Length: 13 1/2 (342.9) | Use With: RS3509 Related To: RS3508 (Standard) |
| RS3510XP |  | Caterpillar Equipment; Challenger Tractors | Caterpillar 6I2505 | O.D.: 12 13/32 (315.1) I.D.: 8 3/16 (208.0) One End Length: 15 1/2 (393.7) | Use With: RS3511 Related To: RS3510 (Standard) |
| RS3514XP |  | Caterpillar Equipment | Caterpillar 6I2509 | O.D.: 12 13/32 (315.1) I.D.: 8 3/16 (208.0) One End Length: 19 1/32 (483.4) | Use With: RS3515 Related To: RS3514 (Standard) |
| RS3517XP |  | Ford, Freightliner Trucks; Case-International, Doosan, John Deere, Komatsu, New Holland Equipment | Donaldson P532966 | O.D.: 9 9/32 (235.7) I.D.: 5 5/32 (131.0) One End Length: 18 15/16 (481.0) | Use With: RS3717 Related To: RS3517 (Standard) |
| RS3518XP |  | Autocar, Ford, Freightliner, International, Peterbilt, Sterling, Volvo, White/GMC Trucks; Mercedes-Benz Latin America Buses; Taylor Sprayers | Donaldson DBA5069; Fleetguard AF25139M | O.D.: 12 31/32 (329.4) I.D.: 6 13/16 (173.0) One End Length: 15 1/4 (387.4) | Use With: RS3519 Related To: RS3518 (Standard) |

EXTREME PERFORMANCE AIR FILTERS (CONT'D)

| PART NUMBER | FITS | REPLACES | SPECIFICATIONS | NOTES |
|-------------|---|--|--|--|
| RS3530XP |  International Trucks; John Deere Equipment | International 2005895-C1; John Deere RE63931 | O.D.: 12 31/32 (329.4) I.D.: 6 13/16 (173.0) One End Length: 18 5/8 (473.1) | Use With: RS3531 Related To: RS3530 (Standard) |
| RS3539XP |  Freightliner, Kenworth, Peterbilt, Western Star Trucks | Donaldson DBA5100, EAF5100 | O.D.: 11 13/32 (289.7) I.D.: 3 25/32 (96.0) & 6 23/32 (170.7) Length: 23 23/32 (602.5) F. Gskt.: 1 Included | Notes: Inside-Out Flow Direction Contains: 3 3/4 Inch Dust Ejector Hole Related To: RS3539 (Standard) |
| RS3548XP |  Ford, GMC, Isuzu, Kenworth, Sterling Trucks; John Deere Equipment | John Deere RE51629 | O.D.: 10 31/32 (278.6) I.D.: 5 13/16 (147.6) One End Length: 15 5/8 (396.9) | Use With: RS3722 Related To: RS3548 (Standard) |
| RS3700XP |  Caterpillar Equipment | Caterpillar 106-3969 | O.D.: 14 7/32 (361.2) I.D.: 8 15/16 (227.0) One End Length: 18 11/32 (465.9) | Use With: RS3701 Related To: RS3700 (Standard) |
| RS3734XP |  Caterpillar, Agco, Case, John Deere, Komatsu, Liebherr, Massey Ferguson, New Holland, Volvo Equipment | Caterpillar 130-4678; John Deere AT203469 | O.D.: 8 5/32 (207.2) I.D.: 4 3/16 (106.4) One End Length: 16 9/16 (420.7) | Use With: RS3885 Related To: RS3734 (Standard) |
| RS3744XP |  Ag-Chem, Case, Caterpillar, Hitachi, J.C. Bamford, John Deere, Link-Belt, New Holland, Volvo Equipment; DAF Trucks | DAF 1295090; John Deere AT175223 | O.D.: 10 31/32 (278.6) I.D.: 5 13/16 (147.6) One End Length: 20 9/16 (522.3) | Use With: RS3745 Related To: RS3744 (Standard) |
| RS3882XP |  John Deere Excavators | John Deere AP35310 | O.D.: 8 5/32 (207.2) I.D.: 4 3/16 (106.4) One End Length: 11 5/8 (295.3) | Use With: RS3883 |
| RS3998XP |  Caterpillar Equipment; Demag, Grove, Liebherr Cranes | Atlas Copco 2914-5017-00; CompAir 11516/974; Ingersoll-Rand 89288971 | O.D.: 11 23/32 (297.7) I.D.: 8 1/32 (204.0) One End Length: 23 5/16 (592.1) | Use With: RS3999 Related To: RS3998 (Standard) |

EXTREME PERFORMANCE AIR FILTERS (CONT'D)

| PART NUMBER | FITS | REPLACES | SPECIFICATIONS | NOTES |
|-------------|---|---|--|---|
| RS4634XP |  Mack Trucks | Donaldson DBA5114 | O.D.: 9 9/32 (235.7) I.D.: 5 25/32 (146.8) One End Length: 25 1/2 (647.7) | Notes: Features Recessed Closed End Related To: RS4634 (Standard) |
| RS5287XP |  Kenworth, Peterbilt Trucks | Paccar P614556, X011622 | O.D.: 12 3/32 (332.6) I.D.: 4 5/8 (117.5) & 7 5/8 (193.7) Length: 24 13/16 (630.2) F. Gskt.: 1 Included | Contains: Inlet Adapter Related To: RS30187XP (Premium Housing Gasket) |
| RS5288XP |  Kenworth, Peterbilt Trucks | Paccar P614986 | O.D.: 11 13/32 (289.7) I.D.: 3 25/32 (96.0) & 7 5/8 (193.7) Length: 22 29/32 (581.8) F. Gskt.: 1 Included | Contains: Inlet Adapter |
| RS5293XP |  Caterpillar Off-Highway Trucks; Donaldson G200088, G290055 Housings | Caterpillar 2777837, 4199172; Donaldson P609519; Fleetguard AF27698 | O.D.: 17 23/32 (450.1) I.D.: 11 7/16 (290.5) One End Length: 30 1/32 (762.8) | Use With: RS5294 Related To: RS5293 (Standard) |
| RS5591XP |  Case-International Sprayers; Case-International, New Holland Tractors | Case 259288A1, 87684088 | O.D.: 6 1/8 (155.6) I.D.: 2 1/2 (63.5) One End Length: 13 21/32 (346.9) | |
| RS5593XP |  Case-IH Combines | Case 247752A1 | O.D.: 7 3/32 (180.2) I.D.: 2 15/32 (62.7) One End Length: 21 15/16 (557.2) | |
| RS5743XP |  Caterpillar Off-Highway Trucks | Caterpillar 4199162; Donaldson P608306; Fleetguard AF27696 | O.D.: 17 23/32 (450.1) I.D.: 11 7/16 (290.5) One End Length: 24 7/8 (631.8) | Use With: RS5744 |
| RS30187XP |  Peterbilt Trucks | Paccar X011623 | O.D.: 13 3/32 (332.6) I.D.: 4 5/8 (117.5) & 7 5/8 (193.7) Length: 24 13/16 (630.2) F. Gskt.: 1 Included | Contains: Inlet Adapter Related To: RS5287XP (Standard Housing Gasket) |

CROSS-REFERENCE GUIDE


| Baldwin Extreme Performance | Baldwin Standard | Baldwin Long Life | Donaldson Standard | Donaldson Long Life | Donaldson EAF | Fleetguard Standard | Fleetguard Long Life | Fleetguard Extreme Performance | Wix Standard | Wix Long Life | Wix Extreme Performance |
|--------------------------------|---------------------|----------------------|-----------------------|------------------------|------------------|------------------------|-------------------------|-----------------------------------|-----------------|------------------|----------------------------|
| PA1615XP | PA1615 | LL1615 | P181103 | – | EAF5163 | AF344 | AF344M | – | 42047 | – | – |
| PA1634XP | PA1634 | LL1634 | P181104 | – | EAF335 | AF335 | AF335M | – | 42334 | – | – |
| PA1706XP | PA1706 | – | P131404 | – | EAF5164 | AF413 | – | – | 42130 | – | – |
| PA1846XP | PA1846 | LL1846 | P181002 | P182002 | EAF5002 | AF472 | AF472M | – | 42422 | – | – |
| PA1884XP | PA1884 | LL1884 | P181034 | P812034 | EAF5034 | AF418 | AF418M | – | 42119 | – | – |
| PA1885XP | PA1885 | LL1885 | P181046 | P182046 | EAF5046 | AF424 | AF424M | – | 42208 | – | – |
| PA1886XP | PA1886 | LL1886 | P181041 | P182041 | EAF5041 | AF421 | AF421M | – | 42225 | – | – |
| PA1894XP | PA1894 | LL1894 | P181039 | P182039 | EAF5039 | AF851 | AF851M | – | 42128 | – | – |
| PA2326XP | PA2326 | LL2326 | P181057 | – | EAF5057 | – | AF888M | – | 42691 | – | – |
| PA2361XP | PA2361 | LL2361 | P180178 | P182078 | – | AF956 | AF956M | – | 42512 | – | – |
| PA2363XP | PA2363 | LL2363 | P181038 | P182038 | EAF5038 | AF879 | AF879M | – | 42440 | – | – |
| PA2384XP | PA2384 | LL2384 | P181120 | – | EAF5165 | AF873 | AF873M | – | 42680 | – | – |
| PA2453XP | PA2453 | LL2453 | P181040 | P182040 | EAF5040 | AF899 | AF899M | – | 42238 | – | – |
| PA2456XP | PA2456 | LL2456 | P181049 | P182049 | EAF5049 | AF891 | AF891M | – | 42546 | – | – |
| PA2518XP | PA2518 | LL2518 | P181043 | P182043 | EAF5043 | AF1828 | – | – | 42493 | – | – |
| PA2562XP | PA2562 | LL2562 | P181042 | P182042 | EAF5042 | – | AF1605M | – | 42258 | – | – |
| PA2573XP | PA2573 | – | P124867 | – | EAF5136 | AF4553 | AF4553M | – | 42235 | – | – |
| PA2616XP | PA2616 | – | P137957 | – | – | – | AF1896M | – | 46518 | – | – |
| PA2676XP | PA2676 | LL2676 | P181073 | P182073 | – | AF4801 | – | – | 46774 | – | – |
| RS2863XP | RS2863 | – | P527484 | DBA5067 | EAF5067 | AF4878 | – | – | 46433 | – | – |
| PA3478XP | PA3478 | – | – | P604430 | – | – | AF4213 | – | 46878 | – | – |
| RS3504XP | RS3504 | – | P532501 | – | EAF5217 | AF25125 | AF25125M | – | 46479 | – | – |
| RS3506XP | RS3506 | – | P532503 | – | EAF5220 | – | AF25129M | – | 46607 | – | – |
| RS3508XP | RS3508 | – | P532473 | – | EAF5218 | AF25131 | AF25131M | – | 46476 | – | – |
| RS3510XP | RS3510 | – | P532505 | – | EAF5216 | AF25135 | AF25135M | – | 46593 | – | – |
| RS3514XP | RS3514 | – | P532509 | – | EAF5232 | – | AF25137M | – | 46742 | – | – |
| RS3517XP | RS3517 | – | P532966 | – | EAF5105 | AF25667 | – | – | 46744 | – | – |
| RS3518XP | RS3518 | – | – | DBA5069 | – | – | AF25139M | – | 46556 | – | 46556NP |
| RS3530XP | RS3530 | – | P533235 | – | EAF5104 | – | AF25033M | – | 46745 | – | – |
| RS3539XP | RS3539 | – | P534816 | DBA5100 | EAF5100 | AF25247 | – | – | – | – | – |
| RS3548XP | RS3548 | – | P533930 | – | EAF5109 | AF25359 | – | – | 46664 | – | – |
| RS3700XP | RS3700 | – | P533882 | – | EAF5219 | AF25262 | – | – | 46746 | – | – |
| RS3734XP | RS3734 | – | P781039 | – | EAF5228 | AF25964 | AF25492 | – | 46761 | – | – |
| RS3744XP | RS3744 | – | P537876 | – | EAF5221 | AF25437 | – | – | 42803 | – | – |
| RS3882XP | RS3882 | – | – | – | – | – | AF25886 | – | – | – | – |
| RS3998XP | RS3998 | – | P782106 | P782106 | – | AF26401 | – | – | 49811 | – | – |
| RS4634XP | – | – | – | DBA5114 | – | AF26363 | – | – | 42808 | – | – |
| RS5287XP | – | – | P614556 | P625128 | – | – | – | – | WA10149 | – | – |
| RS5288XP | – | – | P625287 | P625287 | – | AF27948 | AF27948 | – | WA10009 | – | – |
| RS5293XP | RS5293 | – | P609519 | P609519 | – | AF27698 | AF27698 | – | – | – | – |
| RS5591XP | RS5591 | – | – | – | – | AF255732 | AF255732 | – | 49256 | 49256 | – |
| RS5593XP | RS5593 | – | – | – | – | AF55731 | AF55731 | – | – | – | – |
| RS5743XP | RS5743 | – | P608306 | P608306 | EAF5152 | AF27696 | – | – | 49752 | 49752 | – |
| RS30187XP | – | – | P625128 | P625128 | – | AF25144 | AF25144 | – | WA10149 | WA10149 | – |



800.822.5394 | baldwinfilter.com

Designed and manufactured in the USA.

Form 368 (R 9/18) © 2018 Baldwin Filters, a Parker Hannifin Company
Printed in the U.S.A.

 **WARNING:** These products can expose you to chemicals, including Diisononyl Phthalate, Carbon black extracts, Nickel, 1,3 Butadiene, Ethylene Oxide, Epichlorohydrin, which are known to the State of California to cause cancer, and Bisphenol-A, Ethylene Glycol, Ethylene Oxide, 1,3 Butadiene, Epichlorohydrin, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.