



FUEL MANAGER FILTERS

REMOVE CONTAMINANTS FROM FUEL SYSTEMS

Baldwin Filters' fuel manager filter design incorporates a removable, self-venting drain valve into the filter's assembly for full compatibility with OE designs.

Baldwin's design removed the OE raised "keys" to allow universal fit on multiple OE fuel bases. This makes filter installation easier as no alignment to the mounting head is necessary.












All primary filters are painted red, while all secondary filters are painted white. This color coding helps determine, at a glance, that the proper filter is being installed.



FUEL MANAGER FILTERS

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF7672-D Primary Fuel/Water Coalescer Element with Drain 	Caterpillar, John Deere Equipment	Caterpillar 130-7092, 131-1812; John Deere RE53729, RE62421; Stanadyne 30422, 31387, 31734, 31865, 32650, 44799	O.D.: 3 9/32 (83.3) I.D.: 2 1/32 (16.7) One End Length: 5 31/32 (151.6) Grommet: [1] Attached	Note: Tab/Keys are not needed for installation. For Use With: BF7673-D, BF7674-D
BF7673-D Secondary Fuel/Water Coalescer Element with Drain 	John Deere Engines, Equipment	John Deere RE50455, RE58367, RE62418; Stanadyne 29571, 31732, 31870, 31871, 41381	O.D.: 3 9/32 (83.3) I.D.: 2 1/32 (16.7) One End Length: 5 7/32 (132.6) Grommet: [1] Attached	Note: Tab/Keys are not needed for installation. For Use With: BF7672-D
BF7674-D Secondary Fuel/Water Separator Element with Drain 	Caterpillar, Perkins Engines; John Deere Equipment	Caterpillar 100-5593, 138-3098, 159-6102; GMC 12554082; John Deere RE52987, RE53400, RE62419, RE509031; Stanadyne 29573, 30221, 30233, 30729, 31385, 31386, 31616, 31733, 31872	O.D.: 3 9/32 (83.3) I.D.: 2 1/32 (16.7) One End Length: 5 31/32 (151.6) Grommet: [1] Attached	Note: Tab/Keys are not needed for installation. For Use With: BF7672-D, BF7681-D
BF7675-D Secondary Fuel/Water Separator Element with Drain 	John Deere PowerTech Engines	John Deere RE60021; Stanadyne 31871, 32306, 32806, 32898, 33168, 33880, 34492, 35841, 36988, 41400, 41587, 44801	O.D.: 3 9/32 (83.3) I.D.: 2 1/32 (16.7) One End Length: 4 15/32 (113.5) Grommet: [1] Attached	Note: Tab/Keys are not needed for installation.
BF7677-D Secondary Fuel/Water Separator Element with Drain 	Case-IH, Challenger, Massey Ferguson, New Holland Tractors; Caterpillar, John Deere Equipment	John Deere RE62420; Stanadyne 30555, 31302, 31735, 31877, 32179, 32808, 32900	O.D.: 3 9/32 (83.3) I.D.: 2 1/32 (16.7) One End Length: 7 5/8 (193.7) Grommet: [1] Attached	Note: Tab/Keys are not needed for installation.
BF7679-D Primary Fuel/Water Coalescer Element with Drain 	Caterpillar, John Deere Equipment	Caterpillar 117-4089; John Deere RE62424; Stanadyne 31518, 31617, 31649, 31738, 42304, 44053, 44798	O.D.: 3 9/32 (83.3) I.D.: 2 1/32 (16.7) One End Length: 5 31/32 (151.6) Grommet: [1] Attached	Note: Tab/Keys are not needed for installation.
BF7681-D Primary Fuel/Water Coalescer Element with Drain 	Caterpillar, Perkins Engines; New Holland Tractors	Caterpillar 100-6374, 138-3100; New Holland 87840591; Stanadyne 30226, 30727, 31300, 31391, 31572, 32918, 32919, 33169, 33361, 34178, 34181, 34210, 34252, 36957, 37753, 38293, 38294, 44802	O.D.: 3 9/32 (83.3) I.D.: 2 1/32 (16.7) One End Length: 5 7/32 (132.6) Grommet: [1] Attached	Note: Tab/Keys are not needed for installation. For Use With: BF7674-D












FUEL MANAGER FILTERS (Cont'd)

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF7682-D Primary Fuel/Water Coalescer Element with Drain 	John Deere, Timberjack Equipment	John Deere RE62423, RE65431; Timberjack 431892, F431892; Stanadyne 31269, 31390, 31648, 31737, 31739, 31868, 31869, 32243, 32311, 35002, 35408, 41407, 44056	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 7 5/8 (193.7) Grommet: [1] Attached	Note: Tab/Keys are not needed for installation.
BF7699-D Primary Fuel/Water Coalescer Element with Drain 	Barber Greene, Caterpillar Equipment	Caterpillar 151-2409; Stanadyne 33748, 33962, 44055, 44800	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 5 7/32 (132.6) Grommet: [1] Attached	Note: Reverse Flow; Tab/Keys are not needed for installation.
BF7745-D Secondary Fuel/Water Separator Element with Drain 	Ford, New Holland Equipment	New Holland 87801434; Stanadyne 33515, 33957	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 4 15/32 (113.5) Grommet: [1] Attached	Note: Reverse Flow; Tab/Keys are not needed for installation.
BF7746-D Secondary Fuel/Water Separator Element with Drain 	Case, Caterpillar, New Holland Equipment	Ford YC15-9176-AA; Stanadyne 33317, 33961, 34470, 35332, 35553, 36241, 40044, 40471, 40724, 41591, 42085, 44804	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 7 5/8 (193.7) Grommet: [1] Attached	Note: Reverse Flow; Tab/Keys are not needed for installation.
BF7783-D Primary Fuel/Water Coalescer Element with Drain 	Massey Ferguson Tractors	Agco 3780931M1; J.C. Bamford 32/921001; Stanadyne 31863, 34250, 37751, 41405	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 5 7/32 (132.6) Grommet: [2] Attached	Note: Tab/Keys are not needed for installation.
BF7784-D Primary Fuel/Water Separator Element with Drain 	John Deere Equipment	Case/New Holland 87802332; John Deere RE517181; Stanadyne 33319, 33963, 34981, 35014, 35270, 37258, 40955, 41409, 43494	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 5 31/32 (151.6) Grommet: [1] Attached	Note: Reverse Flow; Tab/Keys are not needed for installation.
BF7785-D Primary Fuel/Water Separator Element with Drain 	John Deere Equipment	John Deere RE509036, RE517180; Stanadyne 35274, 35634, 36551, 37255, 41063, 44057	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 7 5/8 (193.7) Grommet: [1] Attached	Note: Reverse Flow; Tab/Keys are not needed for installation.
BF7786-D Secondary Fuel/Water Separator Element with Drain 	John Deere Equipment	John Deere RE509032; Stanadyne 35005, 35369, 35612, 41521	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 7 5/8 (193.7) Grommet: [1] Attached	Note: Tab/Keys are not needed for installation.
BF7898-D Secondary Fuel/Water Separator Element with Drain 	Caterpillar Skid Steer Loaders	Caterpillar 223-0702; Stanadyne 44803	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 7 5/8 (193.7) Grommet: [1] Attached	
BF7904-D Secondary Fuel/Water Separator Element with Drain 	John Deere Engines, Equipment	John Deere RE508202; Stanadyne 35615, 35746, 37904, 39935, 41411, 41945	O.D.: 3 3/8 (85.7) I.D.: 11/16 (17.5) One End Length: 6 1/32 (153.2) Grommet: [1] Attached	Note: Reverse Flow; Tab/Keys are not needed for installation.
BF7905-D Secondary Fuel/Water Separator Element with Drain 	Kubota Engines; Volvo Loaders	Omniquip 8320269; Volvo 1171183; Stanadyne 31386, 31873	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 5 31/32 (151.6) Grommet: [1] Attached	Note: Tab/Keys are not needed for installation.

FUEL MANAGER FILTERS (Cont'd)

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF7906-D Secondary Fuel/Water Separator Element with Drain 	Caterpillar Equipment	Caterpillar 233-9856; Stanadyne 33959, 35308, 36402, 36646, 41590, 44805	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 5 31/32 (151.6) Grommet: [1] Attached	Note: Reverse Flow; Tab/Keys are not needed for installation.
BF7949-D Secondary Fuel/Water Separator Element with Drain 	John Deere Equipment	John Deere RE522878; Stanadyne 36827, 37297, 41526, 43307, 43382, 43411	O.D.: 3 1/2 (88.9) I.D.: 1 5/32 (29.4) One End Length: 7 21/32 (194.5) Grommet: [1] Attached	
BF7949-DM Secondary Fuel/Water Separator Element with Drain Plug 	Caterpillar Equipment	Caterpillar 233-9856; Stanadyne 36632, 37298, 41719	O.D.: 3 5/16 (84.1) I.D.: 1 5/32 (29.4) One End Length: 7 11/32 (186.5) F. Gskt: [1] Included Grommet: [1] Attached	Note: Reverse Flow; Tab/Keys are not needed for installation.
BF7950-D Primary Fuel/Water Separator Element with Drain 	John Deere Equipment	John Deere RE529643; Stanadyne 37302, 37838, 38051, 38738, 39901, 40770, 41463, 41532, 41773, 42350, 42355, 42781	O.D.: 3 1/2 (88.9) I.D.: 1 5/32 (29.4) One End Length: 7 21/32 (194.5) Grommet: [1] Attached	
BF7951-D Secondary Fuel/Water Separator Element with Drain 	Agco, Case-International, J.C. Bamford, Massey Ferguson, New Holland, Valtra Equipment; Iveco Engines	Iveco 504107584; Stanadyne 36663, 36729, 37180, 37299, 37617, 38290, 38332, 44807, 44810	O.D.: 3 1/2 (88.9) I.D.: 1 5/32 (29.4) One End Length: 7 3/8 (187.3) Grommet: [1] Attached	
BF7952-D Secondary Fuel/Water Separator Element with Drain 	John Deere Tractors	John Deere RE522868; Stanadyne 35945, 36799, 37292, 37976, 38982, 41410	O.D.: 3 1/2 (88.9) I.D.: 5/8 (15.9) One End Length: 6 (152.4) Grommet: [1] Attached	
BF7954-D Primary Fuel/Water Separator Element with Drain 	Case, Case-International, John Deere, New Holland Equipment	Case 87803445; New Holland 87803444; Stanadyne 36730, 37294, 38053, 39420, 40152, 41716	O.D.: 3 1/2 (88.9) I.D.: 1 5/32 (29.4) One End Length: 5 3/4 (146.0) Grommet: [1] Attached	
BF7956-D Primary Fuel/Water Separator Element with Drain 	J.C. Bamford Equipment with 444 Diesel Max Engine	J.C. Bamford 32/925694; Standyne 37079, 37281, 41541, 41588, 44808	O.D.: 3 1/2 (88.9) I.D.: 1 5/32 (29.4) One End Length: 5 (127.0) Grommet: [1] Attached	
BF7964-D Secondary Fuel/Water Separator Element with Drain 		Ford 2C11-9176-AA, 4386518; Stanadyne 33960, 35547, 40091, 40472	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 6 25/32 (172.2) Grommet: [1] Attached	Note: Reverse Flow; Tab/Keys are not needed for installation.
BF7971-D Primary Fuel/Water Separator Element with Drain 	Caterpillar Equipment	Caterpillar 233-9856; Standyne 36828, 37300, 41406	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 5 7/32 (132.6) Grommet: [1] Attached	Note: Reverse Flow; Tab/Keys are not needed for installation.










FUEL MANAGER FILTERS (Cont'd)

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF7971-DM Primary Fuel/Water Separator Element with Drain Plug 	John Deere PowerTech 6068TFM (6.8L) Marine Engine	Caterpillar 233-9856; Stanadyne 36635, 37301	O.D.: 3 5/16 (84.1) I.D.: 1 5/32 (29.4) One End Length: 7 11/32 (186.5) A. Gskt.: [1] Attached Grommet: [1] Attached	Note: Reverse Flow
BF7989-D Primary Fuel/Water Separator Element with Drain 	11/2001-on R.V.I. Midlum Trucks all with dCi16 Engine	Renault 5001846015	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 6 25/32 (172.2) Grommet: [1] Attached	
BF9808-D Secondary Fuel/Water Separator Element with Drain 	John Deere Forwarders, Tractors	John Deere RE526557; Stanadyne 37013, 38156, 39187	O.D.: 3 3/16 (81.0) I.D.: 1/2 (12.7) One End Length: 6 1/16 (154.0) Grommet: [1] Attached	
BF9809-D Secondary Fuel/Water Separator Element with Drain 	7/2006-on Ford Transit	Ford 1370779, 6C11-9176-AA; Stanadyne 38034, 38640, 40468	O.D.: 3 3/16 (81.0) I.D.: 13/16 (20.6) One End Length: 7 25/32 (197.6) Grommet: [1] Attached	Note: Reverse Flow
BF9810-D Secondary Fuel/Water Separator Element with Drain 	11/2004-on Ford Transit 2.0 DI TDE, 3/2004-on Transit 2.4 TDE Van	John Deere RE526557; Stanadyne 36621, 36994, 40470	O.D.: 3 3/16 (81.0) I.D.: 13/16 (20.6) One End Length: 7 25/32 (197.6) Grommet: [1] Attached	Note: Reverse Flow
BF9822-D Primary Fuel/Water Coalescer with Drain 	J.C. Bamford Generators, Super Loaders	J.C. Bamford 32/925975; Stanadyne 38695, 44812	O.D.: 3 7/32 (81.8) I.D.: 1/2 (12.7) One End Length: 5 9/32 (134.1) Grommet: [1] Attached	Note: Reverse Flow
BF9827-D Secondary Fuel/Water Separator Element with Drain 	Ford Transit Vans	Ford 3C11-9176-AA; 4537951; Stanadyne 36620, 36995, 40469, 43043	O.D.: 3 7/32 (81.8) I.D.: 7/8 (22.2) One End Length: 6 13/16 (173.0) Grommet: [1] Attached	Note: Reverse Flow
BF9828-D Primary Fuel/Water Separator Element with Drain 	J.C. Bamford Loaders	J.C. Bamford 32/925914, 32/925915; Stanadyne 38461	O.D.: 3 7/32 (81.8) I.D.: 1/2 (12.7) One End Length: 5 9/32 (134.1) Grommet: [1] Attached	Note: Reverse Flow
BF9830-D Primary Fuel/Water Coalescer with Drain 	J.C. Bamford Generators, Lift Trucks, Loaders all with Dieselmax (Tier 2) 444 Engine	J.C. Bamford 32/925705; Stanadyne 45896	O.D.: 3 7/32 (81.8) I.D.: 7/8 (22.2) One End Length: 5 9/32 (134.1) Grommet: [1] Attached	
BF9833-D Primary Fuel/Water Separator Element with Drain 	J.C. Bamford Excavators	J.C. Bamford 32/925760; Stanadyne 37932	O.D.: 3 7/32 (81.8) I.D.: 7/8 (22.2) One End Length: 6 1/16 (154.0) Grommet: [1] Attached	
BF9835-D Secondary Fuel/Water Separator Element with Drain 	Magnum Light Towers	Magnum Products 17641, 17647	O.D.: 3 3/16 (81.0) I.D.: 5/8 (15.9) One End Length: 5 9/32 (134.1)	

FUEL MANAGER FILTERS (Cont'd)

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF9836-D Secondary Fuel/Water Separator Element with Drain 	J.C. Bamford Excavators	J.C. Bamford 32/925666; Mitsubishi D07-0015; Stanadyne 37130, 37290, 40674, 44806	O.D.: 3 7/32 (81.8) I.D.: 1/2 (12.7) One End Length: 4 17/32 (115.1) Grommet: [1] Attached	
BF9837-D Primary Fuel/Water Separator Element with Drain 	Agco, Challenger, Massey Ferguson, Valtra Tractors all with Sisu 4.4L, 6.6L, 7.4L, 8.4L Diesel Engines	Agco V836862600; Case 162000080882; Sisu 836862600; Valtra 20366575; Stanadyne 35564, 35632, 36439, 37747, 38291	O.D.: 3 9/32 (83.3) I.D.: 21/32 (16.7) One End Length: 6 25/32 (172.2) Grommet: [1] Attached	Note: Reverse Flow
BF9839-D Primary Fuel/Water Separator Element with Drain 	Agco, Challenger, Massey Ferguson, Valtra Equipment all with Sisu 6.6L, 7.4L, 8.4L Engines	Agco V836867591; Sisu 836867591; Stanadyne 36661, 37296, 37616, 38289, 40948, 41530	O.D.: 3 3/16 (81.0) I.D.: 3/4 (19.0) One End Length: 6 23/32 (170.7) Grommet: [1] Attached	Note: Reverse Flow
BF9847-D Secondary Fuel/Water Separator Element with Drain 	John Deere Equipment	John Deere RE533026; Stanadyne 37295, 38893, 39851, 40282, 40614, 40751, 40834, 42361, 44221, 44474	O.D.: 3 3/16 (81.0) I.D.: 1/2 (12.7) One End Length: 6 1/16 (154.0) Grommet: [1] Attached	
BF9874-DM Primary Fuel/Water Separator Element with Drain Plug 	John Deere PowerTech 4045DFM, 4045TFM Marine Engines	John Deere RE521248; Stanadyne 36559, 37293	O.D.: 3 5/32 (80.2) I.D.: 15/16 (23.8) One End Length: 5 5/16 (134.9) F. Gskt.: [1] Included Grommet: [1] Attached	Contains: Drain Nut
BF9875-DM Secondary Fuel/Water Separator Element with Drain Plug 	John Deere PowerTech 4045DFM, 4045TFM Marine Engines	John Deere RE520842; Stanadyne 36503, 37291	O.D.: 3 5/32 (80.2) I.D.: 15/16 (23.8) One End Length: 5 5/16 (134.9) F. Gskt.: [1] Included Grommet: [1] Attached	Contains: Drain Nut
BF9891-D Primary Fuel/Water Separator Element with Drain 	John Deere Engines, Equipment	John Deere RE541922; Stanadyne 40311, 41297, 42106, 42982, 43225, 45423	O.D.: 3 3/16 (81.0) I.D.: 9/16 (14.3) One End Length: 7 11/16 (195.3) Grommet: [1] Attached	Note: Reverse Flow
BF9892-D Secondary Fuel/Water Separator Element with Drain 	John Deere Engines, Equipment	John Deere RE544394; Stanadyne 40576, 42983	O.D.: 3 3/16 (81.0) I.D.: 9/16 (14.3) One End Length: 6 1/16 (154.0) Grommet: [1] Attached	
BF46038-D Primary Fuel/Water Separator Element with Drain 	Linde Lift Trucks	Linde 9839030; Stanadyne 42123	O.D.: 3 9/32 (83.3) I.D.: 1/2 (12.7) One End Length: 7 5/32 (181.8) Grommet: [1] Attached	
BF46039-D Primary Fuel/Water Separator Element with Drain 	Caterpillar Loaders	Caterpillar 3619554; Stanadyne 38326, 39442, 40840	O.D.: 3 15/32 (88.1) I.D.: 3/4 (19.0) One End Length: 7 3/4 (196.9) Grommet: [1] Attached	
BF46040-D Secondary Fuel/Water Separator Element with Drain 	Ingersoll-Rand Air Source Plus 185 Compressor with IRX3T Engine	Ingersoll-Rand 22532378; Stanadyne 36682, 40232	O.D.: 3 1/8 (79.4) I.D.: 3/4 (19.0) One End Length: 5 13/32 (137.3) Grommet: [1] Attached	

FUEL MANAGER FILTERS (Cont'd)

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF46041-D Primary Fuel/Water Separator Element with Drain 	Allmand Brothers Generators, Equipment	Allmand Brothers 45658P; Stanadyne 45658	O.D.: 3 15/32 (88.1) I.D.: 7/8 (22.2) One End Length: 7 13/16 (198.4) Grommet: [1] Attached	
BF46042-D Primary Fuel/Water Separator Element with Drain 	Deutz-Fahr TTV7.260 Tractor with Deutz TCD (6.1L) Engine (Interim Tier 4)	Deutz 90005119, 243193000; Doosan 46492252; Stanadyne 37968	O.D.: 4 7/32 (107.2) I.D.: 1 1/4 (31.8) One End Length: 10 1/4 (260.3) Grommet: [1] Attached	
BF46043-D Primary Fuel/Water Separator Element with Drain 	Volvo Industrial Engines	Volvo 22116209; Stanadyne 40625, 43592	O.D.: 4 7/32 (107.2) I.D.: 1 1/4 (31.8) One End Length: 10 1/4 (260.3) Grommet: [1] Attached	
BF46044-D Primary Fuel/Water Separator Element with Drain OBSOLETE 	Deutz, Fahr, Same Tractors	SDF 90020434	O.D.: 3 1/8 (79.4) I.D.: 15/16 (23.8) Length: 7 25/32 (197.6) Grommet: [1] Attached	
BF46045-D Primary Fuel/Water Separator Element with Drain 	John Deere Tractors	John Deere RE536195, RE546336, RE548534; Stanadyne 40808, 43950	O.D.: 3 1/8 (79.4) I.D.: 7/8 (22.2) One End Length: 6 1/8 (155.6) Grommet: [1] Attached	
BF46064-D Primary Fuel/Water Separator Element with Drain and Tab Keys 	Mack Freedom MV with Renault E3 Engine	Mack 705836525	O.D.: 4 3/8 (111.1) I.D.: 1 1/16 (26.7) One End Length: 9 11/16 (246.1) Grommet: [1] Attached	
BF46078-D Primary Fuel/Water Separator Element with Drain and Tab Keys 	Ingersoll-Rand Compressors	Ingersoll-Rand 22926737	O.D.: 3 1/8 (79.4) I.D.: 21/32 (16.8) One End Length: 5 9/32 (134.1) Grommet: [1] Attached	
BF46113-D Secondary Fuel/Water Separator Element with Drain 	Gehl Loaders	Bobcat 103761801CC; Atlas Copco 1310072275; Case CLC103761801; Club Car 103761801; Gehl 245005; Stanadyne 40072	O.D.: 3 15/32 (88.1) I.D.: 23/32 (18.3) One End Length: 4 15/32 (113.5) Grommet: [1] Attached	
BF46128-D Primary Fuel/Water Separator Element with Drain 	Doosan Engines	Doosan 46578120	O.D.: 4 3/8 (111.1) I.D.: 21/32 (16.8) One End Length: 9 11/16 (246.1) Grommet: [1] Attached	

CROSS-REFERENCE — FUEL MANAGER FILTERS

BALDWIN	DONALDSON	FLEETGUARD	FRAM	LUBER-FINER	WIX
BF7672-D	P551427	FS19554	PS8533	L8681F	33638
BF7673-D	P551423	FS19516	PS7407A	LFF8215	33531
BF7674-D	P551424	FS19583	PS7408A	L3887F	WF10094
BF7675-D	P576918	FS19573	—	L8706F	33759
BF7677-D	P551425	FS19525	PS8239	L8680F	WF10095
BF7679-D	P550502 (P551430)	FS19555	PS8322	L8682F	WF10087
BF7681-D	P551429	FS19811	PS9127	L8679F	WF10127
BF7682-D	P551428	FS19812	PS8605FP	L8138F	WF10093
BF7699-D	P551436	FS19813	—	L22023F	WF10089
BF7745-D	—	FS19792	—	L3893F	WF10082
BF7746-D	P551433	FS19837	PS9039	L3925F	WF10084
BF7783-D	—	FS19836	—	L3923F	—
BF7784-D	P550760	FS19830	—	L8563F	33649
BF7785-D	P551435	FS19906	PS10810	L8867F	WF10096
BF7786-D	P551422 (upgrade)	FS19865	PS10856	—	WF10085
BF7898-D	—	—	—	L8254F	33658
BF7904-D	P550914	FS19912	PS10791	L8569F	33752
BF7905-D	—	—	—	L3920F	WF10086
BF7906-D	—	FS19917	PS10962	L6265F	WF10090
BF7949-D	P551422	FS19976	PS10884	L8868F	WF10104
BF7949-DM	—	FS20011	—	—	33766
BF7950-D	P551435	FS19975	PS10961	L8872F	33977
BF7951-D	—	FS19982	—	L3880F	33808
BF7952-D	—	FS19983	PS10974	L8141F	33739
BF7954-D	P551434	FS19972	—	L3444F	33304
BF7956-D	—	FS1069	—	L3924F	33694
BF7964-D	—	—	—	—	—
BF7971-D	—	FS19985	—	L4110F	33096
BF7971-DM	—	FS19986	—	—	33767
BF7989-D	P551431	FS19810	—	—	—
BF9808-D	—	FS19978	—	L8892F	33743
BF9809-D	—	FS20154	—	—	WF8371
BF9810-D	—	—	—	—	—
BF9822-D	—	FS19994	—	—	33803
BF9827-D	—	FS20048	PS10598	—	—
BF9828-D	P551434	FS19987	—	L4109F	33670
BF9830-D	P551426	FS20152	—	—	—
BF9833-D	—	FS19979	—	—	33760
BF9835-D	—	—	—	L3881F	—
BF9836-D	—	FS19980	—	—	33660
BF9837-D	—	FS19826	—	—	WF10032
BF9839-D	—	FS19973	—	—	33761
BF9847-D	P551432	FS19991	—	L8891F	WF10031
BF9874-DM	—	FS19984	—	—	33988
BF9875-DM	—	FS19990	—	—	33842
BF9891-D	—	FS20076	—	—	WF10158
BF9892-D	—	FS20073	—	—	WF10083
BF46038-D	—	—	—	—	—
BF46039-D	—	FS20049	—	LF6267F	WF10054
BF46040-D	—	FS1104	—	—	WF10139
BF46041-D	—	—	—	—	—
BF46042-D	P564430	—	—	—	WF10060



CROSS-REFERENCE — FUEL MANAGER FILTERS (Cont'd)

BALDWIN	DONALDSON	FLEETGUARD	FRAM	LUBER-FINER	WIX
BF46042-D	P564430	—	—	—	WF10060
BF46043-D	P564278	—	—	—	—
BF46044-D	—	—	—	—	—
BF46045-D	—	FS20074	—	—	WF10128
BF46064-D	—	—	—	—	33444
BF46078-D	—	—	—	—	33625
BF46113-D	—	—	—	—	WF10147
BF46128-D	—	—	—	—	WF10169



800.822.5394 | baldwinfilters.com

Form 662 (3/23) © 2023 Baldwin Filters, a Parker Hannifin Company
Printed in the U.S.A.

⚠ WARNING: These products can expose you to chemicals, including Diisononyl Phthalate, Carbon black extracts, Nickel, 1,3 Butadiene, Ethylene Oxide, Epichlorohydrin, which are known to the State of California to cause cancer, and Bisphenol-A, Ethylene Glycol, Ethylene Oxide, 1,3 Butadiene, Epichlorohydrin, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.